

Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
4.00-9	2	6	12	344-621B		FSR TTF2
4.50-10	4	7	13	344-648B		FSR TTF2
6-12	4	9	11	344-699B		FD TTR3
180/85D12	4	19	35	364-908B		FSLM TTR1
5-14	4	12	32	344-443B		FSLM TTR1
6-14	4	10	10	344-362B		FD TTR3
7-14	4	13	11	344-370B		FD TTR3
8.5L-14	6	20	8	339-148		FARM IMP TT11
9.5L-14	8	28	8	358-940		FARM IMP TLI1
11L-14	8	32	8	350-028		FARM IMP TLI1
24X8.50-14	4	17	11	344-591B		PD TLG2
200/85D14	92A6	27	32	365-571		SUPER AT II 23° TL R1
215/65D14	4	21	10	365-622		FLOT SUPER ALL TERRAIN
215/65D14NHS	106A2	29	17	365-588		SUP TRAC DUP TL
5.00-15	4	15	15	310-069		POWER IMPN TLI3
5.00-15	4	12	12	375-278N	368274	GG 3R TTF2
5.00-15	4	12	6	375-346N	368512	RIB IMP TT11
5.90-15	4	15	7	339-288		FARM IMP TLI1
5.90-15	4	19	7	362-034		IMP STUBBLE TLI1
6.70-15	4	18	7	339-296		FARM IMP TLI1
6.70-15	6	18	7	375-652N		FARM IMP TLI1
6.70-15	6	17	7	339-164		FARM IMP TT11
7.5L-15	6	27	19	374-666N	368291	GG 3R TLF2
7.60-15	6	24	21	325-864		DUO RIB PLTR TT11
7.60-15	6	26	16	340-529	340510	POWER IMPN TLI3
7.60-15	8	24	8	339-369	339229	FARM IMP TLI1
8.0/75-15	6	29	25	361-941C		RANCHER TTG1

IND SPCL TLF3



HWY SPECIAL TLI1



POWER IMPN TLI3



FARM IMP TT11



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
9.5L-15	8	36	23	375-227	368478	CH GG 4R TLF2
9.5L-15	8	30	8	339-377	339237	FARM IMP TLI1
9.5L-15	12	36	8	355-860		FARM IMP TLI1
9.5L-15FI	E	45	11	374-598	364738	HWY SPECIAL TLI1
10.00-15	8	43	11	329-614		FARM TIRE TLI1
11L-15	8	45	27	375-142	339806	CH GG 3R TLF2
11L-15	8	45	27	339-806		CH GG 4R TTF2
11L-15	8	49	34	376-570N		CH GG 4R TLF2
11L-15	8	33	8	339-547	339431	FARM IMP TLI1
11L-15	8	38	14	316-024		IND SPCL TLF3
11L-15	10	47	14	326-011		IND SPCL TLF3
11L-15	12	41	8	339-482		FARM IMP TLI1
11L-15FI	F	56	11	374-581	364772	HWY SPECIAL TLI1
12.5L-15	8	42	22	340-561		POWER IMP TLI3
12.5L-15	10	40	8	339-598		FARM IMP TLI1
12.5L-15	12	47	8	354-538		FARM IMP TLI1
12.5L-15	18	48	7	378-457N		FARM IMP TLI1
12.5L-15FI	F	67	11	374-564	364806	HWY SPECIAL TLI1
212/80D15	4	26	11	344-575B		PD TTG2
215/70D15 (27x 8.50-15)	8	41	22	360-449		DURAFORCE DT TLNHS
27X8.50-15	6	27	13	350-672		SUP TRAC LDR TLI3
27X9.50-15	8	28	10	357-804	351792	FARM IMP TLI1
260/65D15 (27x10.50-15)	8	46	24	360-457		DURAFORCE DT TLNHS
29X1200-15	6	41	11	359-785		TURF & FLD TLG2
315/75D15	4	47	11	354-848B		M40B TLG2
31X13.50-15	8	53	11	354-856		TURF & FLD TLG2
31X13.50-15	8	55	12	355-518		RIB IMP TLI1
31X13.50-15	10	62	11	362-190		TURF STUBBLE TLG2
31X13.50-15	10	69	12	359-025		IMP STUBBLE TLI1
31X13.50-15	12	66	12	358-622		RIB IMP TLI1
31X15.50-15	4	42	11	345-016B		PD TLG2
31X15.50-15	8	68	23	314-420		FLOT 23° TLG1
390/60D15 (31x15.50-15)	8	95	30	360-465		DURAFORCE DT TLNHS

PD TTG2



DURAFORCE DT



FLOT 23 TLG1



CH GG 4R TLF2



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
5.50-16	4	18	30	342-920		CH GG SR TTF1
6.00-16	6	24	19	374-700	368376	CH GG 3R TLF2
6.50-16	6	26	22	374-683	368393	CH GG 3R TTF2
6.00-16	6	22	20	368-019		CH GG 4R TTF2
6.00-16	6	17	8	339-199		FARM IMP TT11
6.50-16	6	28	19	368-036	339741	CH GG 4R TLF2
7.50-16	6	36	20	368-002		CH GG 4R TLF2
7.50-16	8	39	24	374-751	368427	CH GG 3R TLF2
7.50-16	8	32	20	374-717	367985	CH GG 4R TLF2
7.50R16	102A8	42	33	364-976		RAD 4000 TLR1W
7.50/8.00-16	10	45	13	314-013		IND SPCL TLF3
8-16	6	30	39	344-508B		FSLM TTR1
9.5-16	4	33	19	344-877B		FD TTR3
9.5-16	4	46	40	376-808N	351814	SUPER AT II 23° TL R1
9.5-16	6	43	42	344-907B		FL15 TTR1
9.5-16	6	42	19	351-776		TURF & FLD TLR3
10.00-16	6	52	37	340-588		CH GG SR TLF1
10.00-16	6	49	27	339-849		CH GG 4R TLF2
10.00-16	8	52	27	339-865N		CH GG 4R TLF2
10.00-16	8	52	33	350-877		CH GG 3R TTF2
10.00-16	8	45	27	339-814		CH GG 4R TTF2
10.00-16	8	61	33	357-847		3R STUBBLE TLF2
10.00-16	8	56	27	357-898		4R STUBBLE TLF2
10.00-16	10	53	27	368-750		CH GG 4R TLF2
11.00-16	8	70	35	350-885		CH GG 3R TTF2
11.00-16	8	67	29	339-873		CH GG 4R TLF2
11.00-16	8	80	35	357-855		3R STUBBLE TLF2
11.00-16	8	76	27	357-901		4R STUBBLE TLF2
11.00-16	12	77	29	342-602		CH GG 4R TLF2

IND SPCL TLF3



CH GG SR TLF1



CH GG 3R TTF2



CH GG 4R TTF2



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
11L-16	8	37	8	359-831	339466	FARM IMP TLI1
11L-16	10	46	14	314-625		IND SPCL TLF3
11L-16	12	46	14	326-089		IND SPCL TLF3
12.4-16	4	66	45	345-202		TRAC F & R TTR1
12.5L-16	8	40	8	339-474		FARM IMP TT11
12.5L-16	12	50	8	339-490		FARM IMP TLI1
12.5L-16	14	61	8	356-840		FARM IMP TLI1
13.6-16 (7R)	4	61	12	345-210		TURF & FLD TTR3
280/70R16	112A8	46	38	365-010		RAD 4000 TLR1W
13.50-16.1	8	85	23	342-688		POWER IMPN TLI3
13.50-16.1	10	90	19	325-015		ANS FARM TLI2
14.5/75-16.1	10	84	19	321-567		IND SPCL TLF3
14L-16.1	8	81	41	354-449		CH GG 3R HD TLF2
14L-16.1	8	89	33	365-537		CH GG 4R TLF2
14L-16.1	8	70	12	354-686		FARM IMP TLI1
14L-16.1	10	96	41	322-687		CH GG 3R HD TLF2
14L-16.1	12	101	33	359-432		CH GG 4R TLF2
14L-16.1	12	83	12	365-520		FARM IMP TLI1
16.5L-16.1	6	81	25	340-618		POWER IMP TLI3
16.5L-16.1	6	83	19	310-514		ANS FARM TLI2
16.5L-16.1	8	131	36	339-938		CH GG 4R TLF2
16.5L-16.1	8	87	14	339-628		FARM IMP TLI1
16.5L-16.1	10	100	19	317-365		ANS FARM TLI2
16.5L-16.1	10	109	14	339-636		FARM IMP TLI1
16.5L-16.1	10	103	25	342-467		POWER IMP TLI3
16.5L-16.1	14	120	14	342-483		FARM IMP TLI1
18.4-16.1	6	123	28	320-943		ANS TRACTOR TLR3
18.4-16.1	8	155	50	359-564		TRAC F & R TLR1
19L-16.1	12	119	16	359-777		FARM TIRE L TLI1
21.5L-16.1	6	186	33	312-770		TURF & FLD TLR3
21.5L-16.1	8	190	33	359-408		POWER IMPN TLI3
21.5L-16.1	10	148	14	318-507		FARM TIRE L TLI1
21.5L-16.1	10	193	33	355-887		TURF & FLD TLR3
21.5L-16.1	14	219	33	359-416		POWER IMPN TLI3
21.5L-16.1	14	164	14	325-848		FARM TIRE L TLI1

TURF & FLD TTR3



ANS FARM TLI2



ANS TRACTOR



DURAFORCE SDT



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
250/85D16.5	8	48	40	365-401		SUPER AT II 23° TL R1
265/70D16.5 (10-16.5)	8	50	20	362-123	367356	DURAFORCE HD TLNHS
265/70D16.5 (10-16.5)	8	62	26	360-473		DURAFORCE DT TLNHS
265/55D16.5	93A8	30	10	365-350		FLOT SUPER ALL TERRAIN
320/55D16.5	89A8	45	11	365-384		FLOT SUPER ALL TERRAIN
305/70D16.5 (12-16.5)	10	62	22	362-131	367390	DURAFORCE HD TLNHS
305/70D16.5 (12-16.5)	10	86	28	360-414		DURAFORCE DT TLNHS
305/70D16.5 (12-16.5)	12	90	28	373-170		DURAFORCE DT TLNHS
305/70D16.5 (12-16.5)	12	110	47	365-724		DURAFORCE SDT TLNHS
330/55D16.5	10	81	26	360-481		DURAFORCE DT TLNHS
395/55D16.5	12	104	28	360-503		DURAFORCE DT TLNHS
355/70D16.5	10	88	24	362-158N	371453	DURAFORCE HD TLNHS
14-17.5NHS	10	86	22	416-177		SUP TRAC DUP TL
355/70D17.5 (14-17.5)	10	117	24	361-666		DURAFORCE ND TLNHS
355/70D17.5 (14-17.5)	14	126	24	361-674		DURAFORCE ND TLNHS
36X16-17.5	8	111	16	318-523		RIB DUP FARM TLI1
36X16-17.5	14	123	16	361-968		RIB DUP FARM TLI1
4.00-18	4	10	7	368-087		RIB IMP TTI1
4.00-18	4	12	25	368-529	350893	RIB PLTR SR TTI1
7.50R18	104A8	42	33	364-993		RAD 4000 TLR1W
10.5/80-18	10	66	28	351-741		AT UTILITY TLI3
12.0/12.5-18	12	81	32	342-505C		AT UTILITY TTI3
12.5/80-18	12	93	32	359-912		SUP TRAC LDR TLI3
280/70R18	114A8	66	38	365-027		RAD 4000 TLR1W
320/80R18 (12.5/80R18)	134A8	96	31	365-656		RAD DURAFORCE AT-R TLR4
340/80R18 (13.6R18)	136A8	106	32	364-483		RAD DURAFORCE AT-R TLR4

DURAFORCE DT



DURAFORCE HD



RIB DUP FARM TLI1



SUP TRAC DUP TL



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
15-19.5NHS	12	117	26	416-517		SUP TRAC DUP TL
15-19.5NHS	14	139	19	370-637		TRANS DUP TL
40X19-19.5	14	197	26	323-004		ND DUP FARM TLI3
380/70D19.5	4	88	16	365-639		FLOT SUPER ALL TERRAIN
385/65D19.5 (15-19.5)	12	158	25	361-682		DURAFORCE ND TLNHS
385/65D19.5 (15-19.5)	16	182	25	361-690		DURAFORCE ND TLNHS
445/65D19.5 (18-19.5)	16	225	28	361-712		DURAFORCE ND TLNHS
7.50-20	4	45	24	313-424		DUO RIB PLTR TLI1
7.50-20	6	46	26	352-594		CH GG 3R TTF2
7.50-20	6	35	8	339-326		FARM IMP TLI1
10.0/10.5-20	10	69	24	342-548		AT UTILITY TTI3
11.25-20	14	73	13	362-970N		RIB IMP TLI1
12.5-20	10	92	30	358-398C		AT UTILITY TLI3
280/70R20	116A8	67	38	365-826		RAD 4000 TLR1W
360/70R20	129A8	109	40	365-843		RAD 4000 TLR1W
300/70R20	120A8	75	40	365-044		RAD 4000 TLR1W
355/80D20	4	82	13	344-982B		PD TTG2
475/65D20	4	113	17	352-624B		PD1 TTG2
42X25.00-20	12	279	58	358-304		FLOT 23°DT TLHF3
48X25.00-20	10	260	32	328-057		FLOT 23° TLHF2
48X25.00-20	10	355	58	344-184		FLOT 23°DT TLHF3
48X25.00-20	12	298	32	360-422		FLOT FR TLHF2
48X31.00-20	14	361	32	360-430		FLOT FR TLHF2
48X31.00-20	14	317	32	361-984		FLOT 23° TLHF2
48X31.00-20	14	422	58	361-976		FLOT 23°DT TLHF3

AT UTILITY TLI3



ND DUP FARM TLI3



GG 3R TTF2



DURAFORCE ND



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
9.5-22	4	49	19	358-649		TURF & FLD TLR3
9.5-22	6	47	43	363-752B	352381	FSLM TTR1
15-22.5NHS	16	180	25	359-599		SUP TRAC DUP TL
385/65D22.5 (15-22.5)	16	205	25	361-704		DURAFORCE ND TLNHS
445/65D22.5 (18-22.5)	16	247	28	361-720		DURAFORCE ND TLNHS
600/55-22.5	16	320	35	364-653		FLOT IMP TLI3
700/50-22.5	16	342	35	359-033		FLOT IMP TLI3
8.3-24	4	48	18	351-733		ANS TRACTOR TLR3
8.3-24	4	47	38	351-644		TRAC F & R TLR1
9.00-24	8	54	12	356-212		RIB IMP TT11
9.5-24	4	41	14	306-096		ANS TRACTOR TTR3
9.5-24	6	65	40	371-351	338370	SUPER AT II 23° TL R1
11.00-24	12	121	35	359-440		CH GG 3R HD TLF2
11.2-24	4	61	21	344-869B		FD TTR3
11.2-24	4	65	32	321-893		IRR SPCL TLR1
11.2-24	4	64	32	349-984		IRR SPCL TTR1
11.2-24	4	83	41	365-163	357995	SUPER AT II 23° TL R1
11.2-24	8	87	41	365-180	352012	SUPER AT II 23° TL R1
11.25-24	8	77	13	324-221		RIB IMP TLI1
11.25-24	12	96	13	355-534		RIB IMP TLI1
12.4-24	4	98	43	365-299		SUPER AT II 23° TL R1
12.4-24	8	101	43	365-231		SUPER AT II 23° TL R1
12.4-24	12	112	45	357-987		TRAC F & R TLR1
13.6-24	8	125	43	369-719	345318	SUPER AT II 23° TL R1

SUPER AT 23 TLR1



IRR SPCL TLR1



RADIAL AT DT



SUPER AT FWD



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
280/85R24	115A8	99	49	368-801C		RADIAL 6000 TL R1W
280/85R24	115B	99	49	377-148N	368801	PERFORMER 85 TLR1W
320/85R24 (12.4R24)	122A8	137	51	362-681		RADIAL AT DT TLR1W
320/85R24	122A8	125	50	368-818C		RADIAL 6000 TL R1W
320/85R24	131B	107	50	377-165N	368818	PERFORMER 85 TLR1W
340/85R24 (13.6R24)	125A8	161	53	362-698		RADIAL AT DT TLR1W
340/85R24	125A8	145	55	368-835C		RADIAL 6000 TL R1W
340/85R24	125B	125	55	377-199N	368835	PERFORMER 85 TLR1W
14.9-24	4	108	36	322-377		IRR SPCL TLR1
14.9-24	4	107	36	322-679		IRR SPCL TTR1
14.9-24	6	126	23	359-556		ANS TRACTOR TLR3
14.9-24	6	128	44	365-061		SUPER AT II 23° TL R1
14.9-24	8	130	48	373-238	358002	SUPER AT II 23° TL R1
14.9-24	8	200	90	352-837		CH SP GR TTR2
14.9-24	8	136	33	351-849		AT UTILITY TLR4
14.9-24	12	151	33	358-584		AT UTILITY TLR4
14.9-24	12	219	90	359-610		CH SP GR TLR2
380/70R24	125A8	153	54	362-042C		RADIAL 6000 TL R1W
380/85D24	C	118	35	373-765N		CHAMP HYDRO TLR1
380/85R24 (14.9R24)	131A8	200	55	362-715		RADIAL AT DT TLR1W
380/85R24	131B	153	55	376-961N	368869	PERFORMER 85 TLR1W
16.9-24	6	154	28	351-709		ANS TRACTOR TLR3
16.9-24	8	155	49	359-505		TRAC F & R TLR1
16.9-24	8	156	34	309-281		AT UTILITY TLR4
16.9-24	10	175	28	358-789		ANS TRACTOR TLR3
16.9-24	10	200	49	343-889		SUPER AT FWD TLR1
16.9-24	12	175	34	363-990		AT UTILITY TLR4
16.9R24	2*	240	49	340-405		RADL AT FWD TLR1
420/70-24	6	137	34	351-040		AT UTILITY TLR4
420/70R24	130A8	175	55	368-886C		RADIAL 6000 TL R1W
420/85R24	137B	191	58	377-182N	368784	PERFORMER 85 TLR1W

SUPER AT 23 TLR1



IRR SPCL TLR1



RADIAL AT DT



SUPER AT FWD



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
17.5L-24	8	160	32	315-486		AT UTILITY TLR4
17.5L-24	10	176	32	325-880		AT UTILITY TLR4
17.5LR24	2*	202	32	351-989		RAT UTIL TLR4
460/60D24	135A8	119	17	365-418		FLOT SUPER ALL TERRAIN
480/65R24	140A8	235	51	365-673		RAD 9000 TR TLR1W
18.4-24	8	178	35	316-083		AT UTILITY TLR4
18.4-24	12	201	35	355-224		AT UTILITY TLR4
19.5L-24	10	217	34	326-054		AT UTILITY TLR4
19.5L-24	10	223	27	356-190		TURF & FLD TLR3
19.5L-24	12	217	34	322-148		AT UTILITY TLR4
500/70R24 (19.5LR24)	146A8	241	34	364-534		RAD DURAFORCE AT-R TLR4
500/70R24 (19.5LR24)	157A8	250	34	371-657		RAD DURAFORCE RT TLR4
540/65R24	140A8	270	55	359-165		RAD 9000 TR TLR1W
21L-24	12	253	35	321-370		AT UTILITY TLR4
21L-24	16	276	35	327-727		AT UTILITY TLR4
21L-24	18	287	35	372-762		AT UTILITY TLR4
54X37.00-25	12	588	61	352-055		FLOT 23°DT TLHF3
54X37.00-25	12	726	61	352-063		FL23° DT WTP TLHF3
54X37.00-25	20	766	61	373-102		FL23° DT WTP TLHF3
66X43.00-25	10	830	74	340-693		FLOT 23°DT TLHF3
66X43.00-25	14	1366	109	354-325		FL23° XDTWTP TLHF4
66X43.00-25	14	1099	74	354-392		FL23° DT WTP TLHF3
66X43.00-25	16	862	74	358-312		FLOT 23°DT TLHF3
66X44.00-25	6	508	13	341-940		FLOT ALL TER TLHF1
66X44.00-25	16	689	13	354-511		FLOT ALL TER TLHF1
66X44.00-25	16	738	13	361-747		FLT AT WTP TLHF1
66X44.00-25	20	736	13	371-674		FLT AT WTP TLHF1
67X34.00-25	14	1084	112	354-902		FL23° TD WTP TLHF4
1050/50R25	172B	1065	74	359-041		RAD FLOT 23° TLHF3

FL23XDTWTP



RAT UTIL TLR4



RAD FLOT 23



FLOT ALL TER



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
14.9-26	6	121	48	345-288		TRAC F & R TTR1
14.9-26	10	174	48	343-897		SUPER AT FWD TLR1
14.9R26	3*	198	47	340-456		RADL AT FWD TLR1
16.9-26	6	155	48	355-119		TRAC F & R TTR1
16.9-26	10	220	49	343-900		SUPER AT FWD TLR1
16.9-26	10	242	94	326-712		CH SP GR TLR2
420/85R26 (16.9R26)	138A8	250	49	362-528		RADL AT FWD TLR1
18.4-26	6	228	50	343-846		SUPER AT FWD TLR1
18.4-26	6	279	100	358-266		CH SP GR TLR2
18.4-26	6	193	29	315-958		ANS TRACTOR TLR3
18.4-26	8	197	50	345-326		TRAC F & R TTR1
18.4-26	10	251	50	343-919		SUPER AT FWD TLR1
18.4-26	10	277	100	326-445		CH SP GR TLR2
18.4-26	10	334	64	361-771		FORSPLWTPCRC TTLS2
18.4-26	12	223	50	362-443		TRAC F & R TLR1
18.4-26	12	211	29	369-753	315966	ANS TRACTOR TLR3
18.4R26	2*	304	50	340-421		RADL AT FWD TLR1
23.1-26	8	329	53	344-095		SUPER AT 23° TLR1
23.1-26	8	262	21	345-377		ANS TRACTOR TLR3
23.1-26	10	424	100	362-647		CH SP GR TLR2
23.1-26	10	516	67	361-798		FORSPLWTPCRC TTLS2
23.1-26	12	356	53	344-052		SUPER AT 23° TLR1
23.1-26	12	287	21	323-527		ANS TRACTOR TLR3
23.1-26	14	383	53	362-460		SUPER AT 23° TLR1
23.1-26	14	547	67	361-801		FORSPLWTPCRC TTLS2
28L-26	12	423	57	344-060		SUPER AT 23° TLR1
28L-26	12	584	109	358-282		CH SP GR TLR2
28L-26	12	312	21	351-008		ANS TRACTOR TLR3
28L-26	12	381	34	351-857		ANS II TLR3
28L-26	12	680	70	362-477	361828	FORSPLWTPCRC TTLS2

ANS II TLR3



FORSPL CRC SS



CH SP GR TTR2



RADL AT FWD



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
28L-26	14	698	70	362-494	361836	FORSPLWTPCRC TLLS2
28L-26	14	449	57	351-938		SUPER AT 23° TTR1
28L-26	16	392	21	362-220		ANS TRACTOR TLR3
28L-26	16	437	34	362-085		ANS II TLR3
28L-26	16	733	70	362-511		FORSPL CRC SS TLLS2
57X31.00-26	6	349	13	362-077		FLOT ALL TER TLHF1
66X43.00-26	14	1350	109	354-333		FL23° XDTWTP TLHF4
66X43.00-26	14	1078	74	354-422		FL23° DT WTP TLHF3
67X34.00-26	14	1085	112	354-899		FL23° DT WTP TLHF4
600/55-26.5	20	385	32	359-289		FOR EL TLLS2
700/50-26.5	20	419	32	359-297		FOR EL TLLS2
710/45-26.5	20	436	32	371-623		FOR EL TLLS2
11.2-28	4	72	37	304-743		FLD & RD TTR1
11.2-28	6	78	37	361-623		FLD & RD TTR1
11.25-28	12	116	13	326-453		RIB IMP TLI1
12.4-28	6	110	43	365-452		SUPER AT II 23° TL R1
13.6-28	6	124	44	365-265		SUPER AT II 23° TL R1
13.6-28	6	105	24	306-193		ANS TRACTOR TTR3
13.6-28	10	161	47	343-927		SUPER AT FWD TLR1
13.6-28	12	138	47	361-917		TRAC F & R TLR1
320/85R28	124B	121	52	377-335N	368852	PERFORMER 85 TLR1W
340/85R28 (13.6R28)	127A8	174	47	362-545		RADL AT FWD TLR1
340/85R28	127A8	165	60	368-903C		RADIAL 6000 TL R1W
340/85R28	127B	141	60	377-216N	368903	PERFORMER 85 TLR1W
14.9-28	6	147	44	365-078	351830	SUPER AT II 23° TL R1
14.9-28	8	149	33	306-371		AT UTILITY TTR4
14.9-28	10	189	48	343-935		SUPER AT FWD TLR1

FL23DTWTP TLHF3



FL23DTWTP TLHF4



FOR EL TLLS2



TRAC F&R TLR1



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
380/85R28 (14.9R28)	133A8	221	49	362-562		RADL AT FWD TLR1
380/85R28	133B	163	60	377-301N	370960	PERFORMER 85 TLR1W
16.9-28	6	170	47	365-469	351679	SUPER AT II 23° TL R1
16.9-28	8	178	34	354-813		AT UTILITY TLR4
16.9-28	10	231	49	343-943		SUPER AT FWD TLR1
16.9-28	12	191	34	364-007		AT UTILITY TLR4
420/85R28 (16.9R28)	139A8	250	48	362-579		RADL AT FWD TLR1
16.9R28	2*	307	94	352-527		RAD CH SP GR TLR2
18.4-28	6	185	50	338-494		TRAC F & R TTR1
18.4-28	12	218	35	355-410		AT UTILITY TLR4
18.4R28	2*	384	100	352-748		RAD CH SP GR TLR2
21L-28	14	302	36	356-093		AT UTILITY TLR4
480/70R28	140A8	295	55	351-563		RADIAL AT DT TLR1W
600/65R28	147A8	388	65	360-058		RADIAL AT DT TLR1W
600/70R28	152A8	424	65	365-775		RADIAL AT DT TLR1W
14.9-30	10	198	47	343-951		SUPER AT FWD TLR1
380/85R30 (14.9R30)	135A8	224	47	362-596		RADL AT FWD TLR1
380/85R30 (14.9R30)	135A8	241	61	364-551		RADIAL AT DT TLR1W
16.9-30	6	174	47	365-282		SUPER AT II 23° TL R1
16.9-30	10	350	61	361-844		FORSPLWTPCRC TTLS2
16.9R30	3*	313	94	359-386		RAD CH SP GR TLR2
420/85R30	140A8	251	56	368-920C		RADIAL 8000 TL R1W
420/85R30	140B	223	56	377-403N	368920	PERFORMER 85 TLR1W
420/90R30 (16.9R30)	142A8	272	49	362-613		RADL AT FWD TLR1
420/90R30 (16.9R30)	145A8	291	62	364-602		RADIAL AT DT TLR1W
18.4-30	6	280	100	358-274		CH SP GR TLR2
18.4-30	8	222	49	365-486		SUPER AT II 23° TL R1
18.4-30	10	301	100	342-432		CH SP GR TLR2
460/85R30 (18.4R30)	145A8	277	62	352-683C		RADIAL 7000 TL R1W
480/80R30 (18.4R30)	145A8	322	62	362-732		RADIAL AT DT TLR1W

RAD CH SP GR



RAD 9000 TR



SUPER AT FWD SS



FORSPLWTPCRC



Current Tire List



Size	Ply	Weight	Tread	Article	Old Article	Tire
23.1-30	8	342	53	338-613		TRAC F & R TTR1
23.1-30	8	434	109	311-189		CH SP GR TTR2
23.1-30	12	344	53	364-857		TRAC F & R TTR1
540/65R30	150D	303	55	362-834C		RAD 9000 EVOL TLR1W
540/65R30	150A8	330	54	363-055		RAD 9000 TR TLR1W
480/70R30	152A8	335	55	355-569		RADIAL AT DT TLR1W
600/70R30	152A8	428	65	360-163		RADIAL AT DT TLR1W
IF600/70R30	159B	432	65	375-703N		RADIAL AT DT TLR1W
600/70R30	162A8	441	65	362-307		RADIAL AT DT TLR1W
650/75R30	163A8	537	62	356-220C		RADIAL 7000 TL R1W
9.5-32	4	61	36	304-794		FLD & RD TTR1
24.5-32	10	546	112	311-626		CH SP GR TTR2
24.5-32	10	396	8	369-685	358096	PULLER 2000 TLP1
24.5-32	12	389	53	344-079		SUPER AT 23° TLR1
24.5-32	12	391	35	322-296		ANS TRACTOR TLR3
24.5-32	16	499	35	360-384		ANS TRACTOR TLR3
24.5-32	16	746	70	364-704		FORSPLWTPCRC TLLS2
24.5R32	1*	589	53	352-926		RADIAL AT23° TLR1
30.5L-32	HP	471	8	361-992		PULLER 2000 TLP1
30.5L-32	12	576	54	344-087		SUPER AT 23° TLR1
30.5L-32	14	533	38	359-904		ANS TRACTOR TLR3
30.5L-32	14	613	54	351-067		SUPER AT 23° TLR1
30.5L-32	14	762	114	358-231		CH SP GR TLR2
30.5L-32	16	630	54	351-075		SUPER AT 23° TLR1
30.5L-32	16	627	38	357-758		ANS TRACTOR TLR3
30.5L-32	20	961	70	371-538		FORSPLWTPCRC TLLS2
30.5L-32	26	988	70	371-555		FORSPL CRC SS TLLS2
30.5LR32	3*	734	55	356-204		RADIAL AT23° TLR1
800/65R32 (30.5LR32)	172A8	854	74	357-685		RADIAL AT DT TLR1W
35.5L-32	12	932	120	358-258		CH SP GR TLR2
35.5L-32	20	709	39	357-820		ANS TRACTOR TLR3
35.5L-32	20	1238	81	371-572		FORSPLWTPCRC TLLS2
35.5L-32	24	1296	81	371-606		FORSPL CRC SS TLLS2
900/60R32 (35.5LR32)	176A8	936	61	362-800		RADIAL AT23° TLR1

AT23 PULLER TLR1

PULLER 2000 TLR1

RADIAL AT23 TLR1

ANS TRACTOR



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
68X50.00-32	16	1414	80	343-137		FL23° DT WTP TLHF3
73X44.00-32	12	1048	77	328-669		FLOT 23°DT TLHF3
73X44.00-32	16	1116	77	358-835		FLOT 23°DT TLHF3
73X44.00-32	16	1425	77	343-366		FL23° DT WTP TLHF3
76x50.00-32	16	1591	80	359-866		FLOT 23°DT TLHF3
76x50.00-32	20	1620	80	369-702		FLOT 23°DT TLHF3
76X50.00B32	16	1721	80	359-130		FL23° DT WTP TLHF3
650/75R32	172A8	614	70	361-925		RADIAL AT DT TLR1W
290/95R34	131A8	180	49	359-211		RAD 9000 SY TLR1W
320/85R34 (12.4R34)	133A8	182	51	359-238		RAD 9000 SY TLR1W
380/85R34 (14.9R34)	137A8	261	61	364-585		RADIAL AT DT TLR1W
380/85R34 (14.9R34)	137A8	247	47	362-630		RADL AT FWD TLR1
380/85R34 (14.9R34)	146B	260	47	358-665		RADL AT FWD TLR1
16.9-34	6	173	49	338-060		TRAC F & R TTR1
420/85R34	142A8	275	58	368-937C		RADIAL 8000 TL R1W
420/85R34	142B	249	58	377-318N	368937	PERFORMER 85 TLR1W
420/85R34 (16.9R34)	147A8	308	59	360-155		RADIAL AT DT TLR1W
IF420/85R34	152B	340	59	374-513N		RADIAL AT DT TLR1W
18.4-34	6	305	100	311-154		CH SP GR TTR2
18.4-34	8	242	49	367-203	338567	SUPER AT II 23° TL R1
18.4-34	8	227	50	343-560		SUPER AT 23° TTR1
18.4-34	10	390	64	361-887		FORSPLWTPCGR TTLS2
18.4-34	12	264	50	343-676		SUPER AT 23° TLR1
18.4R34	1*	316	49	354-740		RADIAL 23° TLR1
18.4R34	144A8	303	62	352-691C		RADIAL 7000 TL R1W
460/85R34	147A8	313	59	368-971C		RADIAL 8000 TL R1W
460/85R34	147B	291	59	377-233N	368971	PERFORMER 85 TLR1W

RAD CH SP GR



RADIAL 23 TLR1



RADIAL AT23 TLR1



FLOT 23 DT TLHF3



Current Tire List



Size	Ply	Weight	Tread	Article	Old Article	Tire
480/70R34	146A8	385	100	369-668N		RAD CH SP GR TLR2
480/70R34	143A8	295	57	368-954C		RADIAL 8000 TL R1W
480/70R34	155A8	361	60	361-763		RAD 9000 TR TLR1W
480/85R34 (18.4R34)	149A8	331	50	362-392		RADIAL AT23° TLR1
20.8-34	8	264	52	343-579		SUPER AT 23° TTR1
23.1-34	8	387	53	344-109		SUPER AT 23° TLR1
23.1-34	8	513	109	311-375		CH SP GR TTR2
23.1R34	1*	517	52	352-969		RADIAL AT23° TLR1
520/85R34	162A8	474	52	371-249	352950	RADIAL AT23° TLR1
520/85R34	162A8	525	105	371-232N		RAD CH SP GR TLR2
540/65R34	152D	335	55	371-181C		RAD 9000 EVOL TLR1W
60065B34	14	590	67	359-068		FOR TRAC LUG TLHF1
70055B34	14	656	67	359-076		FOR TRAC LUG TLHF1
9.5-36	4	73	40	338-443		TRAC F & R TTR1
11.2-36	4	90	37	304-808		FLD & RD TTR1
12.4-36	4	102	39	304-816		FLD & RD TTR1
12.4-36	10	135	39	319-872		FLD & RD TTR1
13.6-36	4	115	41	304-824		FLD & RD TTR1
11.2-38	4	99	37	355-003		FLD & RD TLR1
11.2-38	4	96	37	304-832		FLD & RD TTR1
12.4-38	4	111	39	304-840		FLD & RD TTR1
12.4-38	6	122	39	304-921		FLD & RD TTR1
12.4-38	8	127	39	354-805		FLD & RD TTR1
12.4-38	14	210	45	355-577		SUPER AT 23° TLR1
320/85R38 (12.4R38)	138A8	204	51	360-074		RAD 9000 TR TLR1W
320/85R38 (12.4R38)	143A8	204	51	359-092		RAD 9000 SY TLR1W
13.6-38	4	144	47	338-036		TRAC F & R TTR1
13.6-38	6	157	47	338-087		TRAC F & R TTR1
13.6-38	6	191	86	332-984		CH SP GR TTR2
14.9-38	6	180	48	338-516		TRAC F & R TTR1
380/80R38 (14.9R38)	142A8	267	57	360-171		RADIAL AT DT TLR1W

TRAC F&R TTR1



SAT II 23 TTR1



RADIAL AT DT



RADIAL DT 23



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
15.5-38	6	239	86	311-219N		CH SP GR TTR2
15.5-38	8	184	44	367-186	338095	SUPER AT II 23° TL R1
15.5R38	1*	242	45	354-767		RADIAL 23° TLR1
16.9-38	6	194	49	338-141		TRAC F & R TTR1
16.9-38	8	215	49	343-587		SUPER AT 23° TTR1
16.9R38	2*	298	49	352-985		RADIAL AT23° TLR1
420/85R38	144A8	299	58	368-988C		RADIAL 8000 TL R1W
420/85R38	144B	274	58	377-352N	368988	PERFORMER 85 TLR1W
460/85R38	149B	318	59	377-386N	369022	PERFORMER 85 TLR1W
18.4-38	8	255	50	367-220		SUPER AT II 23° TL R1
18.4-38	8	276	50	343-595		SUPER AT 23° TTR1
18.4-38	8	364	100	311-448		CH SP GR TTR2
18.4-38	14	337	50	343-692		SUPER AT 23° TLR1
18.4-38	14	411	100	343-110		CH SP GR TLR2
18.4R38	2*	346	49	359-823		RADIAL 23° TLR1
18.4R38	2*	449	100	353-140		RAD CH SP GR TLR2
480/80R38 (18.4R38)	149A8	365	50	362-341		RADIAL AT23° TLR1
480/80R38 (18.4R38)	149A8	392	63	362-749		RADIAL DT 23° TLR1W
20.8-38	8	340	52	367-237		SUPER AT II 23° TL R1
20.8-38	8	327	52	343-609		SUPER AT 23° TTR1
20.8-38	10	325	51	343-633		SUPER AT 23° TTR1
20.8-38	10	472	105	311-529		CH SP GR TTR2
20.8-38	14	516	105	351-970		CH SP GR TLR2
20.8R38	2*	416	50	362-204		RADIAL 23° TLR1
20.8R38	2*	559	105	353-167		RAD CH SP GR TLR2
480/70R38	145A8	326	57	369-005C		RADIAL 8000 TL R1W
520/85D38 (20.8D38)	173A8	481	46	363-038		SUPER AT 23° HD TLR1 SS
520/85R38 (20.8R38)	155A8	442	52	362-375		RADIAL AT23° TLR1
520/85R38 (20.8R38)	155A8	494	69	362-766		RADIAL DT 23° TLR1W
540/65R38	147A8	377	55	359-157		RAD 9000 TR TLR1W

RAD 9000 SY



CH SP GR TTR2



RADIAL AT DT



FOR TL TLLS2



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
600/65R38	153A8	470	59	358-673		RAD 9000 TR TLR1W
600/65R28	154A8	395	65	371-266		RADIAL AT DT TLR1W
600/65R38	165A8	505	59	361-933		RAD 9000 SY TLR1W
650/65R38	157A8	541	63	358-185		RAD 9000 TR TLR1W
650/65R38	163D	534	63	371-164C		RAD 9000 EVOL TLR1W
650/85R38	173A8	743	70	362-987		RADIAL DT 23° TLR1W
IF710/70R38	178B	739	73	378-219N		RADIAL AT DT TLR1W
710/70R38	166A8	759	74	355-542		RADIAL AT DT TLR1W
710/70R38	171A8	823	74	362-664		SS RAT DT TLR1W
800/70R38	173A8	970	74	359-548		RADIAL DT 23° TLR1W
9.5-42	6	90	45	338-532		TRAC F & R TTR1
12.4-42	6	140	45	355-097		TRAC F & R TLR1
12.4-42	10	165	45	358-630		TRAC F & R TLR1
320/90R42 (12.4R42)	139A8	225	52	359-106		RAD 9000 SY TLR1W
18.4-42	10	303	50	343-641		SUPER AT 23° TTR1
18.4R42	2*	505	100	354-376		RAD CH SP GR TLR2
18.4R42	3*	380	49	362-212		RADIAL 23° TLR1
480/80R42 (18.4R42)	151A8	420	50	362-324		RADIAL AT23° TLR1
480/80R42 (18.4R42)	151A8	443	63	362-409		RADIAL DT 23° TLR1W
480/80R42 (18.4R42)	154A8	428	50	364-092		RADIAL AT23° TLR1
480/80R42 (18.4R42)	154A8	465	63	364-058		RADIAL DT 23° TLR1W
20.8-42	10	358	52	343-668		SUPER AT 23° TTR1
20.8-42	14	406	52	352-888		SUPER AT 23° TLR1
20.8-42	14	600	103	352-918		CH SP GR TLR2
20.8R42	2*	448	50	355-399		RADIAL 23° TLR1
520/85R42 (20.8R42)	157A8	492	52	362-358		RADIAL AT23° TLR1
520/85R42 (20.8R42)	157A8	528	69	362-426		RADIAL DT 23° TLR1W
520/85R42 (20.8R42)	157A8	616	105	371-198		RAD CH SP GR TLR2
520/85R42 (20.8R42)	165A8	671	105	371-215N	371198	RAD CH SP GR TLR2
520/85R42 (20.8R42)	165A8	519	52	369-600		RADIAL AT23° TLR1
620/70R42	160A8	620	66	356-271		RADIAL AT DT TLR1W

SUPER AT 23 HD



RADIAL DT23



RADIAL AT 23 TLR1



CH SP GR TLR2



Current Tire List

Size	Ply	Weight	Tread	Article	Old Article	Tire
620/70R42	166A8	617	66	374-479N	356271	RADIAL AT DT TLR1W
710/70R42	168A8	788	74	358-320		RADIAL AT DT TLR1W
IF710/70R42	179B	786	74	373-697N		RADIAL AT DT TLR1W
710/70R42	173A8	815	74	362-115		SS RAT DT TLR1W
900/50R42	168A8	924	78	359-394		RAD 9000 TR TLR1W
320/90R46 (12.4R46)	148A8	249	54	357-774		RAD 9000 SY TLR1W
320/90R46 (12.4R46)	148A8	268	82	363-004		RAD CH SP GR TLR2
13.6-46	6	236	86	332-976		CH SP GR TTR2
14.9R46	4*	318	47	343-323		RADIAL AT23° TLR1
380/90R46 (14.9R46)	152B	358	57	359-939		RAD 9000 SY TLR1W
420/80R46	4*	406	48	371-640		RADIAL AT23° TLR1
420/80R46	151A8	382	49	352-829		RADIAL AT23° TLR1
18.4R46	3*	538	100	359-378		RAD CH SP GR TLR2
480/80R46	158A8	459	50	362-273		RADIAL AT23° TLR1
480/80R46 (18.4R46)	158A8	497	63	362-256		RADIAL DT 23° TLR1W
520/85R46 (20.8R46)	158A8	608	64	362-851		RADIAL DT 23° TLR1W
520/85R46 (20.8R46)	158A8	637	105	369-651N		RAD CH SP GR TLR2
230/95R48	134A8	192	49	356-263		RAD 9000 SY TLR1W
320/90R50	148A8	262	54	358-118		RAD 9000 SY TLR1W
380/90R50	151A8	369	57	362-050		RAD 9000 TR TLR1W
380/105R50	168A8	481	49	362-919		RAD 9100 TLR1
480/80R50	159A8	535	63	360-090		RADIAL DT 23° TLR1W
IF480/80R50	166B	546	63	374-496N		RADIAL DT 23° TLR1W
320/90R54 (12.4R54)	143A8	277	56	359-580		RADIAL AT DT TLR1W
320/90R54 (12.4R54)	149A8	294	56	358-339		RADIAL AT DT TLR1W
380/90R54	152A8	403	57	362-069		RAD 9000 TR TLR1W

RADIAL AT23 TLR1



RAD 9000 TR



RADIAL 23 TLR1



RADIAL AT DT

